



MIKE'S PANELS
COLD ROOM PANELS AND DOORS

Commercial Pivoting Refrigerated Door



- Value for money
- Easy installation

Commercial Pivoting Refrigerated Door

Standard pivoting refrigerator door for storage and freezing installations. This Refrigeration Door is a high-performance door that presents high energy efficiency specially designed for intense use. Its architecture is designed so that the user has to perform minimal maintenance.



Thermal isolation



Various sizes available



Easy assembly and maintenance

Description

- The door includes a frame and counterframe in extruded aluminum with double thermal break. High resistance treatment fixed with hidden screws adaptable to different thicknesses.
- The use of high-quality materials and their design are designed so that the door has a minimum level of maintenance.
- The door leaf is made up of a refrigeration panel with polyisocyanurate (PIR)

Our doors stand out for:

- Quality of finishes
- Easy assembly and installation
- Adaptability to customer needs

Technical characteristics

FRAME	PROFILE	<ul style="list-style-type: none"> • White lacquered extruded aluminum frame and counter frame • High resistance treatment • Double thermal bridge break • Fixed with hidden screws and adaptable to different thicknesses
	SIDEWALK	<ul style="list-style-type: none"> • Reinforced aluminum profile, with housing for frost resistance (Low Temperature) • High calorific resistance (temperatures down to -4°F / -20°C)
LEAF	PROFILE	<ul style="list-style-type: none"> • Anodized extruded aluminum (stainless) • High corrosion resistance treatment • With thermal bridge break
	ISOLATION	<ul style="list-style-type: none"> • Rigid polyisocyanurate (PIR) foam
	THICKNESSES	<ul style="list-style-type: none"> • 2.36 in / 60 mm (Cooling) • 3.15 in / 80 mm (Freezing down to 5°F / -15°C) • 3.94 in / 100 mm (Freezing down to -4°F / -20°C)
	LOCK BURLETTE	<ul style="list-style-type: none"> • Galvanized steel and white lacquered RAL 1006 • Sheet thickness 0.02 in / 0.6 mm • Very flexible, double-celled and resistant to negative temperatures
IRONWORK	OPENING	<ul style="list-style-type: none"> • Composite hinges, regular, with lifting ramps and stainless steel shaft • Composite closure, incorporated in sheet with a pressure point • Push-button interior lever with reflective markings • Easy opening and closing, specially designed for the commercial sector
	SCREWS	<ul style="list-style-type: none"> • Stainless steel
OPTIONS		<ul style="list-style-type: none"> • Key lock with interior unlocking. Possibility of the same key for several doors • Lower area blade protection in 0.20 in / 5 mm checkerboard aluminum, • Fixed visor with "Climalit" type glass • Frame with chapel for passages of aerial channels

Swing door for cooler photos

The accessories and hardware shown are for reference only
and their characteristics may vary





MIKE'S PANELS

COLD ROOM PANELS AND DOORS

+1 786-314-2942
info@mikespanelscorp.com
mikespanelscorp.com

16275 SW 208th Terrace, Miami, FL 33187, United States